

Below data from OOCL containers are just for your reference only, because Every container maybe a little different.

普通箱 (General Purpose)

OOCL offers 20 ft and 40 ft general-purpose containers. Manufactured from steel, they are suitable for most types of cargo.



General Purpose 20' x 8' x 8'6"

Steel

		Millimetres	Feet
Internal	Length	5,898	19'4.2"
Internal	Width	2,352	7'8.6"
Dimensions	Height	2,391	7'10"
Door	Width	2,340	7'8"
Opening	Height	2,280	7'5.8"
		Kilograms	Pounds
	Max Gross	24,000 / 30,480	52,910 / 67,200
Weight	Tare	2,280 / 2,280	5,030 / 5,030
	Max Payload	21,720 / 28,200	47,880 / 62,170
		Cube Metres	Cube Feet
Internal Cap	acity	33.2	1,171



General Purpose 40' x 8' x 8'6"

		Steel		
		Millimetres	Feet	
Inter	Length	12,024	39'5.7"	
nal	Width	2,352	7'8.5"	
Dime	Height	2,390	7'10"	

nsio ns			
Door	Width	2,340	7'8"
Open ing	Height	2,280	7'5.8"
		Kilograms	Pounds
Wo!-	Max Gross	30,480	67,200
Weig	Tare	3,830	8,450
ht	Max Payload	26,650	58,750
		Cube Metres	Cube Feet
Intern	al Capacity	67.7	2,390

高箱 (High Cube)

With high cube containers, you gain an extra foot in height compared with general-purpose containers. Ideal for light, voluminous cargo or bulky cargo. These extra volume containers come in 40 ft and 45 ft sizes in steel.



High	Cube	10' v	Q' v	9'6'
	CHDE	40 X	X X	9 n

		Steel		
		Millimetres	Feet	
Internal	Length	12,031	39'5.6"	
Dimensions	Width	2,352	7'8.5"	
Dimensions	Height	2,698	8'10"	
Door	Width	2,340	7'8.1"	
Opening	Height	2,585	8'5.8"	
		Kilograms	Pounds	
	Max Gross	30,480	67,200	
Weight	Tare	3,980	8,755	
	Max Payload	26,500	58,425	
		Cube Metres	Cube Feet	
Internal Capa	acity	76.3	2,694	



High Cube 45' x 8' x 9'6"

Steel

			50	CCI
		Millimetr es		Feet
Inter nal Dime	Length Width	13,544 2,352	44'6.7" 7'8.5"	
nsion s	Height	2,698	8'10"	
Door	Width	2,340	7'8.2"	
Openi ng	Height	2,585	8'5.8"	
•		Kilogra ms		Pounds
347 - 1	Max Gross	30,480	67,200	
Weig ht	Tare	4,800	10,580	
	Max Payload	25,680	56,614	
		Cube Metres		Cube Feet
Interna	al Capacity	86	3,040	

开顶箱 (Open Top)

Allowing cargo to be loaded from the top, open top containers are particularly suitable for bulky cargo such as machinery. They are fitted with a PVC tarpaulin cover and attachable bows with cable sealing devices. The container doors can be removed to make the stuffing of cargo more convenient. Manufactured from steel, open top containers come in 20 ft and 40 ft sizes.



Open Top 40' x 8' x 8'6"

Steel

		Millimetres	Feet
Internal	Length	12,024	39'5.4"
	Width	2,350	7'8.6"
Dimensions	Height	2,351	7'8.5"
Door	Width	2,338	7'8"
Opening	Height	2,279	7'5.8"
		Kilograms	Pounds
	Max Gross	30,480	67,200
Weight	Tare	3,980	8,774
	Max Payload	26,500	58,426
		Cube Metres	Cube Feet
Internal Capa	acity	67	2,366



Open Top 20' x 8' x 8'6"

Steel

		Millimetr es		Feet
Inter	Length	5,899	19'4.3"	
nal Dime	Width	2,352	7'8.6"	
nsion s	Height	2,351	7'8.5"	
Door	Width	2,340	7'8.1"	
Openi ng	Height	2,295	7'5.9"	
		Kilogra		Pounds
		ms		
Weig	Max Gross	30,480	67,200	
ht	Tare	2,260	4,892	
IIC	Max Payload	28,220	62,218	
		Cube		Cube Feet
		Metres		Cube reet
Interna	l Capacity	32.2	1,137	

框架箱 (Flatracks)

Flatracks are especially suited to heavy loads or cargo that needs loading from the top or sides, such as pipes and machinery. OOCL offers collapsible and non-collapsible containers with or without walls. Manufactured from steel, flatrack containers come in 20 ft and 40 ft sizes.

Flatracks 40' x 8' x 8'6"

		Steel		
		Millimetres	Feet	
	Length	11,762	38'7.1"	
Internal	Width	2,240	7'4.1"	
Dimensions	Height (Unfolded)	2,034	6'8.1"	
	Height (Folded)	570	1'10.4"	
		Kilograms	Pounds	
	Max Gross	45,000	88,180	
Weight	Tare	5,530	12,190	
	Max Payload	39,470	87,020	
		Cube Metres	Cube Feet	
Internal Cap	acity	54.8	1,936	

Flatracks 20' x 8' x 8'6"

		Steel		
		Millimetres	Feet	
	Length	5,727	18'9.4"	
Internal	Width	2,240	7'4.1"	
Dimensions	Height (Unfolded)	2,170	7'1.3"	
	Height (Folded)	420	1'4.6"	
		Kilograms	Pounds	
	Max Gross	30,480	66,140	
Weight	Tare	2,950	6,500	
	Max Payload	26,650	60,690	
		Cube Metres	Cube Feet	
Internal Cap	acity	27.9	986	

挂衣箱 (Garmentainers)

Garments on hanger (GOH) shipments are specially created for OOCL. Our specially designed garmentainers give customers the option of using a string or bar system or a combination of both. The containers allow increased flexibility, greater load Internal Capacity and savings on transportation and handling cost. Garmentainers are available in 20 ft and 40 ft sizes.

Garmentainers 40' x 8' x 8'6"

		Steel		
		Millimetres	Feet	
Internal	Length	12,024	39'5.3"	
	Width	2,352	7'8.5"	
Dimensions	Height	2,393	7'10.2"	
Door	Width	2,340	7'8"	
Opening	Height	2,280	7'5.8"	
		Kilograms	Pounds	
	Max Gross	30,480	67,200	
Weight	Tare	3,885	8,565	
	Max Payload	26,595	58,635	
		Cube Metres	Cube Feet	
Internal Cap	acity	67.7	2,390	

Garmentainers 20' x 8' x 8'6"

		Steel	
		Millimetres	Feet
Internal	Length	5,900	19'4.2"
Dimensions	Width	2,352	7'8.5"
Dillielisiolis	Height	2,353	7'10.1"
Door	Width	2,340	7'8"
Opening	Height	2,280	7'5.8"
		Kilograms	Pounds
	Max Gross	24,000	52,910
Weight	Tare	2,240	4,490
	Max Payload	21,760	47,970
		Cube Metres	Cube Feet
Internal Cap	acity	33.2	1,172